ELSEVIER

Gene 175 (1996) 285–287

GENE
AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

Author Index

Achstetter, T., see Nacken, V. (175) 253
Alatossava, T., see Mikkonen, M. (175) 49
Alexander, W.A., see Venkatesan, M.M. (175) 23
Alm, R.A., see Watson, A.A. (175) 143
Anderson, C.W., see Connelly, M.A. (175) 271
Andersson, G., McIver, K., Hedén, L-O. and Scott, J.R.
Complementation of divergent *mga* genes in group A *Streptococcus* (175) 77
Ansari-Lari, M.A., see Jones, S.N. (175) 209
Antin, P.B., see Niu, S. (175) 187
Arisawa, M., see Kitada, K. (175) 105
Atkinson, P.W., see Coates, C.J. (175) 199
August, P.R., Rahn, J.A., Flickinger, M.C. and Sherman, D.H.
Inducible synthesis of the Mitomycin C resistance gene product (MCRA) from *Streptomyces lavendulae* (175) 261

Barry, E.M., see Franco, A.A. (175) 281
Bradley, A., see Jones, S.N. (175) 209

Cartwright, I.L., see Nenoi, M. (175) 179
Chang, T.-j., see Ho, T.-y. (175) 247
Chhatwal, V.J.S., see Tabiti, K. (175) 7
Coates, C.J., Howells, A.J., O'Brochta, D.A. and Atkinson, P.W.
The 5′ regulatory region from the *Drosophila pseudoobscura hsp82* gene results in a high level of reporter gene expression in *Lucilia cuprina* embryos (175) 199
Cohen, G., Or, E., Minas, W. and Sternberg, N.L.
The bacteriophage P1 lytic replicon: directionality of replication and cis-acting elements (175) 151
Colucci, G., see Rao, R. (175) 1
Connelly, M.A., Zhang, H., Kieleczawa, J. and Anderson, C.W.
Alternate splice-site utilization in the gene for the catalytic subunit of the DNA-activated protein kinase, DNA-PK_{cs}[1] (175) 271
Cui, L., see Tabiti, K. (175) 7

Daha, M.R., see Reterink, T.J.F. (175) 279
Dahl, M.K., see Schöck, F. (175) 59
de Graaff, L.H., see MacCabe, A.P. (175) 29
Degryse, E., see Nacken, V. (175) 253
Deryckere, F., McNair, A. and Gannon, F.
Hepatocyte nuclear factor 4 (HNF4) binding sites in the salmon *HNF1* promoter (175) 35
Donehower, L.A., see Jones, S.N. (175) 209

Fernández-Espinar, M.T., see MacCabe, A.P. (175) 29
Fernandez-Prada, C., see Venkatesan, M.M. (175) 23
Filippone, E., see Rao, R. (175) 1
Flickinger, M.C., see August, P.R. (175) 261
Forde, B.G., see Trueman, L.J. (175) 223
Franco, A.A., Yeh, P-E., Johnson, J.A., Barry, E.M., Guerra, H., Maurer, R. and Morris, J.G. Jr. (175) 281
Cloning and characterization of *dnaE*, encoding the catalytic subunit of replicative DNA polymerase III, from *Vibrio cholerae* strain C6706 (175) 281
Fujisaki, S., Ohnuma, S.-i., Horiuchi, T., Takahashi, I., Tsukui, S., Nishimura, Y., Nishino, T., Kitabatake, M. and Inokuchi, H.
Cloning of a gene from *Escherichia coli* that confers resistance to fosmidomycin as a consequence of amplification (175) 83
Fukami-Kobayashi, K., see Song, S. (175) 65

Gannon, F., see Deryckere, F. (175) 35
Gibbs, R.A., see Jones, S.N. (175) 209
Gō, M., see Song, S. (175) 65
Goodwin, G.H., see Nicolas, R.H. (175) 233
Guerra, H., see Franco, A.A. (175) 281

Han, S.W., Ramesh, N. and Osborne, W.R.A.
Cloning and expression of the cDNA encoding rat granulocyte colony-stimulating factor (175) 101
Hancock, A.R., see Jones, S.N. (175) 209
Hasada, K., see Yasui, Y. (175) 269
Hashimoto, K., see Kobayashi, M. (175) 173
Hatamoto, O., Watarai, T., Kikuchi, M., Mizusawa, K. and Sekine, H.
Cloning and sequencing of the gene encoding tannase and a structural study of the tannase subunit from *Aspergillus oryzae* (175) 215
Hattori, M., see Shibata, A. (175) 203
He, X-S., Rivkina, M. and Robinson, W.S.
Construction of adenoviral and retroviral vectors coexpressing the genes encoding the hepatitis B surface antigen and B7-1 protein (175) 121
Hedén, L-O., see Andersson, G. (175) 77
Ho, T.-y., Hsiang, C.-y. and Chang, T.-j.
Analysis of pseudorabies virus genes by cDNA sequencing (175) 247
Horiuchi, T., see Fujisaki, S. (175) 83
Howells, A.J., see Coates, C.J. (175) 199
Hsiang, C.-y., see Ho, T.-y. (175) 247

Ichimura, S., see Nenoi, M. (175) 179
Inokuchi, H., see Fujisaki, S. (175) 83
Inouye, S., see Song, S. (175) 65
Isoai, A., Kawahara, H., Okazaki, Y.-i. and Shizuri, Y.
Molecular cloning of a new member of the putative G protein-coupled receptor gene from barnacle *Balanus amphitrite* (175) 95
Iwashita, S., see Kobayashi, M. (175) 173

Johnson, J.A., see Franco, A.A. (175) 281
Jones, S.N., Ansari-Lari, M.A., Hancock, A.R., Jones, W.J., Gibbs, R.A., Donehower, L.A. and Bradley, A.
Genomic organization of the mouse double minute 2 gene (175) 209
Jones, W.J., see Jones, S.N. (175) 209

Kakikawa, M., Oki, M., Tadokoro, H., Nakamura, S., Taketo, A. and Kodaira, K-I.
Cloning and nucleotide sequence of the major capsid proteins of *Lactobacillus* bacteriophage φgle (175) 157
Kameoka, Y., see Kobayashi, M. (175) 173
Kawahara, H., see Isoai, A. (175) 95
Kawai, M., see Song, S. (175) 65

Khan, S., see Servos, S. (175) 137
Kieleczawa, J., see Connelly, M.A. (175) 271
Kikuchi, M., see Hatamoto, O. (175) 215
Kitabatake, M., see Fujisaki, S. (175) 83
Kitada, K., Yamaguchi, E. and Arisawa, M.
Isolation of a *Candida glabrata* centromere and its use in construction of plasmid vectors (175) 105
Kobayashi, H., see Miyake, S. (175) 71
Kobayashi, M., Masui, T., Kusuda, J., Kameoka, Y., Hashimoto, K. and Iwashita, S.
Human rasGTPase-activating protein (human counterpart of GAP1^{m}): sequence of the cDNA, primary structure of the protein, production and chromosomal localization (175) 173
Kodaira, K-I., see Kakikawa, M. (175) 157
Koiwai, O., see Yasui, Y. (175) 269
Kondo, M., see Semba, K. (175) 167
Kusuda, J., see Kobayashi, M. (175) 173

MacCabe, A.P., Fernández-Espinar, M.T., de Graaff, L.H., Visser, J. and Ramón, D.
Identification, isolation and sequence of the *Aspergillus nidulans xlnC* gene encoding the 34-kDa xylanase (175) 29
Malva, C., see Rao, R. (175) 1
Manfredi, P., see Rao, R. (175) 1
Manzi, A., see Rao, R. (175) 1
Maskell, D., see Servos, S. (175) 137
Masui, T., see Kobayashi, M. (175) 173
Mattick, J.S., see Watson, A.A. (175) 143
Maurer, R., see Franco, A.A. (175) 281
McIver, K., see Andersson, G. (175) 77
McNair, A., see Deryckere, F. (175) 35
Metspalu, A., see Pata, I. (175) 241
Mikkonen, M., Räisänen, L. and Alatossava, T.
The early gene region completes the nucleotide sequence of *Lactobacillus delbrueckii* subsp. *lactis* phage LL-H (175) 49
Minas, W., see Cohen, G. (175) 151
Mita, K., see Nenoi, M. (175) 179
Miyake, S., Saito, I., Kobayashi, H. and Yamashita, S.
Identification of two *Xenopus laevis* genes, *xMCM2* and *xCDC46*, with sequence homology to *MCM* genes involved in DNA replication (175) 71
Mizusawa, K., see Hatamoto, O. (175) 215
Monti, L.M., see Rao, R. (175) 1
Moochhala, S., see Tabiti, K. (175) 7
Morkin, E., see Niu, S. (175) 187
Morris, J.G., Jr, see Franco A.A. (175) 281

Nacken, V., Achstetter, T. and Degryse, E.
Probing the limits of expression levels by varying promoter strength and plasmid copy number in *Saccharomyces cerevisiae* (175) 253
Nakamura, S., see Kakikawa, M. (175) 157
Nakazawa, A., see Song, S. (175) 65
Nenoi, M., Mita, K., Ichimura, S., Cartwright, I.L., Takahashi, E.-i., Yamauchi, M. and Tsuji, H.
Heterogeneous structure of the polyubiquitin gene *UbC* of HeLa S3 cells (175) 179
Ngoi, S.S., see Tabiti, K. (175) 7
Nicolas, R.H. and Goodwin, G.H.
Molecular cloning of polybromo, a nuclear protein containing multiple domains including five bromodomains, a truncated HMG-box, and two repeats of a novel domain (175) 233
Nishimura, Y., see Fujisaki, S. (175) 83
Nishino, T., see Fujisaki, S. (175) 83
Niu, S., Antin, P.B. and Morkin, E.
Cloning and sequencing of a developmentally regulated avian mRNA containing the LEA motif found in plant seed proteins (175) 187
Noonan, B. and Trust, T.J.
An *Aeromonas salmonicida* gene required for the establishment of infection in rainbow trout (*Oncorhynchus mykiss*) (175) 127
Noonan, B., see Umelo, E. (175) 133

O'Brochta, D.A., see Coates, C.J. (175) 199
Ohnuma, S.-i., see Fujisaki, S. (175) 83
Okazaki, Y.-i., see Isoai, A. (175) 95
Oki, M., see Kakikawa, M. (175) 157
Or, E., see Cohen, G. (175) 151
Osborne, W.R.A., see Han, S.W. (175) 101

Pallen, C.J., see Tabiti, K. (175) 7
Pata, I. and Metspalu, A.
Structural characterization of the mouse ribosomal protein S6-encoding gene (175) 241
Poh, C.L., see Yeo, C.C. (175) 109

Qiu, R. and Schimmer, B.P.
cDNA for the β1 subunit of guanyl nucleotide-binding regulatory proteins from mouse adrenal glands (175) 275

Rahn, J.A., see August, P.R. (175) 261
Räisänen, L., see Mikkonen, M. (175) 49
Ramesh, N., see Han, S.W. (175) 101
Ramón, D., see MacCabe, A.P. (175) 29
Rao, R., Manzi, A., Filippone, E., Manfredi, P., Spasiano, A., Colucci, G., Monti, L.M. and Malva, C.
Synthesis and expression of genes encoding putative insect neuropeptide precursors in tobacco (175) 1
Reterink, T.J.F., Verweij, C.L., van Es, L.A. and Daha, M.R.
Alternative splicing of IgA Fc receptor (CD89) transcripts[1] (175) 279
Richardson, A., see Trueman, L.J. (175) 223
Rivkina, M., see He, X-S. (175) 121
Robinson, W.S., see He, X-S. (175) 121
Ruby, E.G., see Visick, K.G. (175) 89

Saito, I., see Miyake, S. (175) 71
Saito-Ueno, R., see Semba, K. (175) 167
Sakaki, Y., see Shibata, A. (175) 203
Schimmer, B.P., see Qiu, R. (175) 275
Schöck, F. and Dahl, M.K.
Analysis of DNA flanking the *treA* gene of *Bacillus subtilis* reveals genes encoding a putative specific enzyme II^{Tre} and a potential regulator of the trehalose operon (175) 59
Scott, J.R., see Andersson, G. (175) 77
Sekine, H., see Hatamoto, O. (175) 215
Semba, K., Saito-Ueno, R., Takayama, G. and Kondo, M.
cDNA cloning and its pronephros-specific expression of the Wilms' tumor suppressor gene, WT1, from *Xenopus laevis* (175) 167
Serebriiskii, I.G., Vassin, V.M. and Tsygankov, Y.D.
Two new members of the BioB superfamily: cloning, sequencing and expression of *bioB* genes of *Methylobacillus flagellatum* and *Corynebacterium glutamicum* (175) 15
Servos, S., Khan, S. and Maskell, D.
Cloning and expression of genes encoding lipid A biosynthesis from *Haemophilus influenzae* type b (175) 137
Sherman, D.H., see August, P.R. (175) 261
Shibata, A., Hattori, M., Suda, H. and Sakaki, Y.
Identification of *cis*-acting elements involved in an alternative splicing of the amyloid precursor protein (*APP*) gene (175) 203
Shizuri, Y., see Isoai, A. (175) 95
Song, S., Inouye, S., Kawai, M., Fukami-Kobayashi, K., Gō, M. and Nakazawa, A.
Cloning and characterization of the gene encoding *Halobacterium halobium* adenylate kinase (175) 65

Spasiano, A., see Rao, R. (175) 1
Sternberg, N.L., see Cohen, G. (175) 151
Suda, H., see Shibata, A. (175) 203
Suter, U., see Taylor, V. (175) 115

Tabiti, K., Cui, L., Chhatwal, V.J.S., Moochhala, S., Ngoi, S.S. and Pallen, C.J.
Novel alternative splicing predicts a secreted extracellular isoform of the human receptor-like protein tyrosine phosphatase LAR (175) 7
Tadokoro, H., see Kakikawa, M. (175) 157
Takahashi, E.-i., see Nenoi, M. (175) 179
Takahashi, I., see Fujisaki, S. (175) 83
Takayama, G., see Semba, K. (175) 167
Taketo, A., see Kakikawa, M. (175) 157
Taylor, V. and Suter, U.
Epithelial membrane protein-2 and epithelial membrane protein-3: two novel members of the peripheral myelin protein 22 gene family (175) 115
Toro, N., see Zekri, S. (175) 43
Trueman, L.J., Richardson, A. and Forde, B.G.
Molecular cloning of higher plant homologues of the high-affinity nitrate transporters of *Chlamydomonas reinhardtii* and *Aspergillus nidulans* (175) 223
Trust, T.J., see Noonan, B. (175) 127
Trust, T.J., see Umelo, E. (175) 133
Tsuji, H., see Nenoi, M. (175) 179
Tsukui, S., see Fujisaki, S. (175) 83
Tsygankov, Y.D., see Serebriiskii, I.G. (175) 15

Umelo, E., Noonan, B. and Trust, T.J.
Cloning, characterization and expression of the *recA* gene of *Aeromonas salmonicida* (175) 133

Van Es, L.A., see Reterink, T.J.F. (175) 279
Vassin, V.M., see Serebriiskii, I.G. (175) 15
Venkatesan, M.M., Alexander, W.A. and Fernandez-Prada, C.
A *Shigella flexneri* invasion plasmid gene, *ipgH*, with homology to IS*629* and sequences encoding bacterial sugar phosphate transport proteins (175) 23
Verweij, C.L., see Reterink, T.J.F. (175) 279
Visick, K.G. and Ruby, E.G.
Construction and symbiotic competence of a *luxA*-deletion mutant of *Vibrio fischeri* (175) 89
Visser, J., see MacCabe, A.P. (175) 29

Watarai, T., see Hatamoto, O. (175) 215
Watson, A.A., Mattick, J.S. and Alm, R.A.
Functional expression of heterologous type 4 fimbriae in *Pseudomonas aeruginosa* (175) 143
Wyatt, G.R., see Zhang, J. (175) 193

Yamaguchi, E., see Kitada, K. (175) 105
Yamashita, S., see Miyake, S. (175) 71
Yamauchi, M., see Nenoi, M. (175) 179
Yang, J-G., see Yasui, Y. (175) 269
Yasui, Y., Hasada, K., Yang, J-G. and Koiwai, O.
Structure and organization of the gene encoding human selenoprotein (175) 269
Yeh, P-E., see Franco, A.A. (175) 281
Yeo, C.C. and Poh, C.L.
IS*1394* from *Pseudomonas alcaligenes* N.C.I.B. 9867: identification and characterization of a member of the IS*30* family of insertion elements (175) 109

Zekri, S. and Toro, N.
Identification and nucleotide sequence of *Rhizobium meliloti* insertion sequence IS*Rm6*, a small transposable element that belongs to the IS*3* family (175) 43
Zhang, H., see Connelly, M.A. (175) 271
Zhang, J. and Wyatt, G.R.
Cloning and upstream sequence of a juvenile hormone-regulated gene from the migratory locust (175) 193